Total 2002 Population 14,780 Community Options and	Dan
MA Waiver Programs	Per 10,000
Population per square mile 32 Staffing - FTF Number F	Populátion
County ranking in state (1-72) 48 Clients Costs Total staff 8	5.4
COP 11 \$100,994 Administrative 1	0.7
Age Female Male Total MA Waiver * Professional staff 4	2.7
0-14 1,270 1,270 2,520 CIP1A 4 \$272,439 Technical/Paraprof. 2	1.4
15-19	0.7
20-24 340 380 720 CIP2 23 \$306,182	
25-29 300 340 640 COP-W 32 \$182.421 Funding F	Per capita
30-34 370 420 800 CSLA , , , , , , , , , , , , , , , , , ,	\$20.26
35-39	\$12.62
	•
45-54	TS
55-64 940 890 1,830 \$82,696 of the above waiver costs	
65-74 810 820 1,630 were paid as local match/overmatch Type Capacity F	Facilities
75-84 510 440 960 using COP funds. This amount is Bed & Breakfast 26	6
65-74 810 820 1,630 were paid as local match/overmatch 75-84 510 440 960 using COP funds. This amount is 85+ 180 100 280 not included in above COP costs. Total 7,340 7,440 14,780 ** Waiver costs reported here 500 to 100 100 100 100 100 100 100 100 100 10	20
Total 7,340 7,440 14,780 Hotels, Motels 325	24
* Waiver costs reported here Tourist Rooming 48	18
Age Fellate Mate Total Include Federal Functing. FOOIS	12
0-17	29
18-44	1
45-64 1.990 2.020 4.010 Eliqible and	
65+ 1,500 1,360 2,870 Wajting 53 n/a	
Total 7,340 7,440 14,780	
(Family Care not provided in county) WIC PARTICIPANTS	
Poverty Estimates for 2000	
Estimate (C.I.+/-)	Number
All ages 1,223 91 Note: Eligible and waiting clients Pregnant/Postpartum 7.7% (7%) will be phased into the COP and MA Infants Ages 0-17 302 37 Waivers as available. Children. age 1-4	
7.7% (7%) will be phased into the COP and MA Infants	119
Ages 0-17 302 ` 37 Waivers as available. Children, age 1-4	152
All ages 1,223 91 Note: Eligible and waiting clients Pregnant/Postpartum 7.7% (7%) will be phased into the COP and MA Infants Children, age 1-4 70 9.1% (12%)	376
EMPLOYMENT (2000	0)
Average wage for jobs covered Home Health Agencies 1 Primary Site	
by unemployment compensation \$23,431 Patients 198 Breast	13
Note: based on place of work Patients per 10,000 pop. 134 Cervical	0
Annual Colorectal	. 8
Labor Force Estimates Average Nursing Homes 1 Lung and Bronchus	15
Licensed beds 46 Prostate	13
Civilian Labor Force 6,983 Occupancy rate 95.7% Other sites	35
Number employed 6,378 Residents on Dec.31 42 Total	84
Number unemptoyed 000 Restderits age 05 0f 01der	
Annual Labor Force Estimates Average Civilian Labor Force Number employed Number unemployed Unemployment rate Annual Annual Nursing Homes Licensed beds Occupancy rate Ocher invasive cancers only.	
invasive cancers only.	

TOTAL LIVE BIRTHS		150	NATA Birth Order	Births	Percent	Marital Status			
			First	62	41	of Mother	Births	Percent	
Crude Live Birth Rate		10.1	Second	40	27	Married	104	69	
General Fertility Rat	е	58.3	Third	30	20	Not married	46	31	
,			Fourth or higher	18	12	Unknown	0	0	
ive births with repo	rted		Unknown	0	0				
congenital anomalies		7 4.7%				Education			
			First Prenatal			of Mother	Births	Percent	
Delivery Type	Births	Percent	Visit	Births	Percent	Elementary or le		7	
Vaginal after	D 1. (110		1st trimester	116	77	Some high school		14	
previous cesarean	5	3	2nd trimester	26	17	High school	66	44	
Forceps	1		3rd trimester	6	4	Some college	33	22	
Other vaginal	118		No visits	2	1	College graduate		13	
Primary cesarean	18		Unknown	0	Ó	Unknown	19	0	
	8		UIIKIIUWII	U	U	UTKTOWIT	U	U	
Repeat cesarean	0	ე 0	Number of Prenatal			Smoking Status			
Other or unknown	U	U			Doncont	Smoking Status	Din+ho	Donoont	
); athwai aht	Diath-	Donoont	Care visits	Births	Percent	of Mother	Births	Percent	
Birthweight		Percent	No visits	2	1	Smoker	43	29	
<1,500 gm	0		1-4	5	3	Nonsmoker	107	71	
1,500-2,499 gm	10		5-9	24	16	Unknown	0	0	
2,500+ gm	140		10-12	77	51				
Unknown	0	0	13+	41	27				
			Unknown	1	1				
			Low Birthweight	1st Tr		er of First Prenata 2nd Trimester		Unknown	
Race of Mother	Dintho I	Jonaan+	(under 2,500 gm) Births Percent						
	Births F				Percent	Births Percent		Percent	
White	145	97	10 6.9	113	78	24 17	8	6	
Black	0	0					•	•	
Other	5	3		3	60	2 40		•	
Unknown	0	0							
	_		Low Birthweight	4.4.		er of First Prenata		0.11	
Age of Mother	Pinths	ertility	(under 2,500 gm)	1st Tr		2nd Trimester		Unknown	
AGE OF MOTHEL	Births	Rate	`Births Percent'	PTLUS	Percent	Births Percent	PTI, CII2	Percent	
•	0		*	*	•	*	• -t-	•	
<15	_	4 -		*		•	*	7	
<15 15-17	4	15	•					/	
<15 15-17 18-19	4 15	68	2 13.3	11	73	3 20	1		
<15 15-17 18-19 20-24	4 15 47	68 140	2 13.3 2 4.3	40	85	5 11	1 2	4	
<15 15-17 18-19 20-24 25-29	4 15 47 42	68 140 138	2 13.3 2 4.3 3 7.1	40 30	85 71	5 11 9 21	1 2 3		
<15 15-17 18-19 20-24 25-29 30-34	4 15 47 42 32	68 140 138 86	2 13.3 2 4.3	40 30 28	85 71 88	5 11 9 21 4 13	3	4 7	
<15 15-17 18-19 20-24 25-29 30-34 35-39	4 15 47 42 32 10	68 140 138 86 20	2 13.3 2 4.3 3 7.1	40 30	85 71	5 11 9 21		4	
<15 15-17 18-19 20-24 25-29 30-34 35-39 40+	4 15 47 42 32 10 0	68 140 138 86 20	2 13.3 2 4.3 3 7.1 3 9.4	40 30 28	85 71 88	5 11 9 21 4 13	3	4 7	
<15 15-17 18-19 20-24 25-29 30-34 35-39	4 15 47 42 32 10	68 140 138 86 20	2 13.3 2 4.3 3 7.1 3 9.4	40 30 28	85 71 88	5 11 9 21 4 13	3	4 7	

REPORTED* CASES OF SELECTED DISEASES	neonatal, and Perinatal and	d postneor d fetal de	natal ^í death eath rates	per 100,000 population. rates are per 1,000 li are per 1,000 live birt culated for fewer than	ve birthś. hs plus	
Disease Number Campylobacter Enteritis 5 Giardiasis <5 Hepatitis Type A 0	TOTAL DEATHS Crude Death Ra	ate	166 1,123	Selected Underlying Cause Heart Disease (total) Ischemic heart disea	41	Rate 277 189
Hepatitis Type B** 0 Hepatitis NANB/C 9	Age 1 - 4	Deaths		Cancer (total) Trachea/Bronchus/Lun	40 g 15	271
Legionnaire's 0 Lyme <5 Measles 0	5-14 15-19 20-34	3	•	Colorectal Female Breast Cerebrovascular Disea	2 1 se 11	.*
Meningitis, Aseptic 0 Meningitis, Bacterial 0	35-54	16	1,309	Lower Resp. Disease Pneumonia & Influenza	15 4	:
Mumps 0 Pertussis 0	55-64 65-74 75-84 85+	55	1,834 5,760	Accidents Motor vehicle	14 1 3	
Salmonellosis 0 Shigellosis 0 Tuberculosis 0	† σο +	34	12,057	Diabetes Infect./Parasitic Dis Suicide	. 3 . 3	:
2002 provisional data	Infant Mortality	Deaths	Rate	* Rate for female bre		based
** Includes all positive HBsAg test results	Total Infant Neonatal Postneonatal	4 2 2	:	on female popul		YTNG
Sexually Transmitted Disease	Unknown 		:	OR CONTRIBUTING CA		
Chlamydia Trachomatis 15 Genital Herpes 6 Gonorrhea <5	Race of Mother White Black	3	•	Alcohol Other Drugs Both Mentioned	3 4	:
Syphilis 0	Other Unknown	i 1	:	MOTOR VEHIC		
	Birthweight <1,500 gm	1		Note: These data are of crash, not		
Children in Grades K-12 by	1,500-2,499 gm 2,500+ gm	1 2	:			
Compliance Lovel	Unknown		•	Type of Motor Vehicle Crash Total Crashes Alcohol-Related	Injured 150	Killed 5
Compliant 2,279 Non-compliant 13 Percent Compliant 99.4	Perinatal Mortality	Deaths	Rate	With Citation:	25 19	1
	Total Perinatal Neonatal Fetal	3		For Speeding Motorcyclist	10 8	0
	Fetal	1	•	Bicyclist Pedestrian	0 0	0 0

		Per	Average		Charge	1		Per	Average		Charge
DISEASE /		1,000	Stay	Average	Per	DISEASE /		1,000		Average	Per
AGE GROUP	Number	Р́ор	(Days)	Charge	Capita	AGE GROUP	Number	Р́ор	(Days)	Charge	Capita
Injury-Related:	A11					Alcohol-Related					
Total	161	10.9	4.6	\$14,876	\$162	Total	51	3.4	5.6	\$7,124	\$25
<18	7			Ψ,σ.σ	•	18-44	36	7.5	4.5	\$4,928	\$37
18-44	39	8.1	3.9	\$13,656	\$111	45-64	9			Ψ.,σ=σ	•
45-64 65+	26	6.5	3.0	\$12,337	\$80	Pneumonia and I		•	•	•	•
65+	89	31.0	5.7	\$16,807	\$521	Total	76	5.1	4.4	\$9,367	\$48
Injury: Hip F		0.10	0.,	Ψ.σ,σσ.	Ψ02.	<18	5			ψο,σο.	Ψ.σ
Total	21	1.4	6.7	\$22,026	\$31	45-64	12			-	
65+	18			•		45-64 65+	57	19.8	4.7	\$10,260	\$204
Injury: Poiso		•	-	•	-	Cerebrovascular		1010		Ψ.σ,Ξσσ	Ψ=0.
Total	9							3.4	3.2	\$9,776	\$34
18-44	6		-			Total 45-64 65+	7				
	_	-	-	-	-	65+	42	14.6	3.2	\$8,782	\$128
Psychiatric						Chronic Obstruc				+-,	Ţ. <u>_</u> _
Total	71	4.8	8.0	\$7,162	\$34	i Total	39	2.6	3.4	\$7,751	\$20
<18	15			. , <u>.</u>		<18 18-44 45-64	5			ų.,	+ -
18-44	34	7.1	4.8	\$4,971	\$35	18-44	2			-	
45-64	8			· ., · .		45-64	4			-	
65+	14		-	_		65+	28	9.7	3.5	\$7,634	\$74
		-	-	-	-	Drug-Related		• • • •		ų.,	4. .
Coronary Heart I	Disease					Total	15				
Total	125	8.5	3.7	\$22,592	\$191	18-44				-	
45-64	36	9.0		\$24,143	\$217		_	-	_	_	_
65+	87	30.3	4.0	\$22,195	\$672	Total Hospitali	zations				
				. ,	·	Total '	2,043	138.2	4.1	\$11,289	\$1.560
Malignant Neopla	asms (Cai	ncers):	All			<18	²⁴⁵	78.8	3.6	\$5,525	\$436
Total	96		5.6	\$17,160	\$111	18-44	448	93.5	3.3	\$8,048	\$753
18-44	1					45-64 65+	392	97.7	3.8	\$12,947	\$1,265
45-64	36	9.0		\$19,013	\$171	65+	958	333.5	4.7	\$13,599	\$4,535
Total 18-44 45-64 65+	59		5.7	\$16,258	\$334					,	•
Neoplasms: Fer	na⊥e Brea	ast (ra	ites for	femále po	pulation)	PRI	EVENTABLE	HOSPIT	ALIZATI	ONS*	
Total	11	ì			. ,	Total	260	17.6	3.5	\$7,922	\$139
Neopiasms: Co.	lo-rectai	1				<18	18	5.8	2.7	\$6,549	\$38
Total	14				•	18-44	18	3.8	3.5	\$6,905	\$26
65+	7					45-64	43	10.7	3.1	\$6,758	\$72
Neoplasms: Lui	าg					65+	181	63.0	3.7		\$532
Total	14				-					,	
Diabetes						 * Hospitalizations	for cond	itions	where t	imely and	effective
Total	17					ambulatory care ca	n reduce	the lik	celihood	of hospi	talization
65+	7				•]	_				
						•					